

**KLüb**<sup>®</sup>

# CS SERIES

## TEA & ESPRESSO MACHINE

CS1 / CS2 / CS3 / CS2TS / CSTSC3



[www.klubtech.com](http://www.klubtech.com)

# CLASSIC SERIES ESPRESSO MACHINE & TEA&ESPRESSO MACHINE

## Special Functions

- 01 Built-in Features**  
The multi-temperature control and multi-stage pre-infusion electric system adjusts water volume, temperature, and steeping time based on the ingredients, creating a perfectly balanced, flavorful drink that increases customer satisfaction.
- 06 Automatic Back-flushing**  
With an automatic backflush function, can easily maintain the cleanliness of the brewing head system.
- 02 Multi-stage Water Outlet Design**  
Each button can be set to up to ten extraction stages, allowing for customizable adjustments to water volume, stages, and time settings.
- 07 Patented Adjustable Tea Portafilter (CS2TS/CSTSC3)**  
The internal pressure and capacity can be adjusted based on the specific needs of different ingredients, ensuring optimal pre-infusion functionality to create unique base brews; suitable for whole leaves, broken tea, pyramid bags, square bags, and other formats.
- 03 Stainless Steel Boiler**  
Meets food safety certifications, ensuring consistent water temperature and quality; corrosion-resistant and durable, maintaining optimal brewing performance.
- 08 Multi-Boiler Preheat & Heat Circulation System (CS2TS/CSTSC3)**  
Patent design ensures water flow endurance and temperature stability.
- 04 Multiple Forms of Materials (CS2TS/CSTSC3)**  
With various patented portafilters, it enables quick extraction of tea leaves, herbs, traditional Chinese medicine, and more, offering limitless creativity for beverage development and boosting business profitability.
- 09 Uniquely Patented (CS2TS/CSTSC3)**  
The unique combination of Teapresso and Espresso in one machine helps bring diversity to customers' menus.
- 05 Professional and Patented Portafilters**  
Choose from the patented coffee pod portafilter, bottomless coffee portafilter, traditional coffee portafilter, or patented tea portafilter.
- 10 Streamline Design**  
Classic and elegant design with streamline edges and crystal black side panels.



## Specification

Model	Brewing System	Boiler Volume	Voltage	Watts	Ampere	Weight	Dimension (cm)
CS1	1 Coffee	6L*1	220/240 Vac	2,500 W	11 A	48 kg	W: 48 / D: 58 / H: 58
CS2	2 Coffee	12L*1	220/240 Vac	4,700 W	21 A	62 kg	W: 76 / D: 58 / H: 58
CS3	3 Coffee	18L*1	220/240 Vac	6,500 W	30 A	81 kg	W: 95 / D: 58 / H: 58
CS2TS	2 Tea	6L*2	220/240 Vac	5,500 W	25 A	65 kg	W: 76 / D: 58 / H: 58
CSTSC3	2 Tea 1 Coffee	6L*1 12L*1	220/240 Vac	7,000 W	31 A	90 kg	W: 95 / D: 58 / H: 58

\*Detailed specifications will be shown on the PI/Machine Color